

SDS Revision Date: 08/10/2023

Section 1. Identification

1.1. Product identifier

Product Identity Crème Developer 30 Volume

Alternate Names Crème Developer 30 Volume, Formula No: 631

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Salon Care

Application Method For use whenever directions call for 30 volume

hydrogen peroxide to be mixed with permanent hair color, toner or lightener. Substitute white crème developer for clear liquid peroxide to get a think, easy

handling gel consistency. Follow hair color

manufacturer's directions. Use professional gloves

when using this product

1.3. Details of the supplier of the safety data sheet

Company Name Hydrox Laboratories

825 Tollgate Rd. Elgin, IL 60123

Emergency

24 hour Emergency Telephone No.800-255-3924Customer Service: Hydrox Laboratories847-468-9400

Section 2. Hazard(s) identification

2.1. Classification of the substance or mixture

Eye Dam. 1;H318 Causes serious eye damage.

2.2. Label elements

(Not required on cosmetic product or case labels per Occupational Safety and Health Standards 29 CFR 1910.1200(b)(5))



Danger

H318 Causes serious eye damage.

[Prevention]

P280 Wear protective gloves, eye protection, face protection.

[Response]

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



SDS Revision Date: 08/10/2023

P310 Immediately call a POISON CENTER, doctor or physician.

[Storage]

No GHS storage statements

[Disposal]

No GHS disposal statements

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Hydrogen Peroxide CAS Number: 0007722-84-1	5 - 10	Acute Tox. 4;H302 Acute Tox. 4;H332 STOT SE 3;H335; C = 35 % Eye Dam. 1;H318: 8 % = C < 50 % Eye Irrit. 2;H319: 5 % = C < 8 % Ox. Liq. 1;H271: C = 70 % Ox. Liq. 2;H272: 50 % = C < 70 % Skin Corr. 1A;H314: C = 70 % Skin Corr. 1B;H314: 50 % = C < 70 % Skin Irrit. 2;H315: 35 % = C < 50 %	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Not Applicable

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Wash with soap and water.

Ingestion Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting.

Never give anything by mouth to an unconscious person. See medical doctor

immediately.

4.2. Most important symptoms and effects, both acute and delayed

Overview Eyes: Mild to moderate transient irritation.

Skin: Irritation or sensitization in sensitive individuals.

Ingestion: Gastrointestinal disturbance and diarrhea.

Inhalation: Mild transient respiratory irritation.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



SDS Revision Date: 08/10/2023

Acute Health Hazards: May cause skin and severe eye irritation. Harmful if swallowed. May cause severe irritation of gastric mucous membranes if swallowed.

Chronic Exposure: No signs have been reported in humans.

Medical Conditions Generally Aggravated by Exposure: Cuts and abrasions.

Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.

Causes serious eye damage.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO², powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxygen which supports combustion.

5.3. Advice for fire-fighters

None

Eyes

ERG Guide No. 140

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Flush with large amounts of water.

Waste Disposal Method: Bio-degradable, non-hazardous. In conformance with pertinent federal, state or local regulations.



SDS Revision Date: 08/10/2023

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Avoid extreme heat and any kind of contamination.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Reducing agents, wood, iron, and other heavy metals.

Store in cool and dark place.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0007722-84-1	Hydrogen Peroxide	OSHA	TWA 1 ppm (1.4 mg/m³)
		ACGIH	TWA: 1 ppm
		NIOSH	TWA 1 ppm (1.4 mg/m³)

8.2. Exposure controls

Respiratory If desired

Eyes Wear safety glasses with side shields to protect the eyes. An eye wash station is

suggested as a good workplace practice.

Skin Neoprene gloves are recommended.

Engineering Controls Local Exhaust: As needed

Mechanical: As needed

Other Work Practices Eye bath and safety showers. Use good personal hygiene practices. Wash hands before

eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.



SDS Revision Date: 08/10/2023

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Color: White, creme like emulsion

Physical State: Liquid

Odor Odorless

Odor threshold Not determined

pH 3.4 - 4.2

Melting point / freezing point Not Measured

Initial boiling point and boiling range >100 C

Flash Point

Evaporation rate (Ether = 1)

Flammability (solid, gas)

Not Measured

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa)Not MeasuredVapor DensityNot Measured

Relative Density 1.12
Solubility in Water Miscible

Partition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot MeasuredDecomposition temperatureNot Measured

Viscosity (cSt) NLT 2,000 cps (LV2 @ 3 RPM)

VOC Content

Hydrogen Peroxide Assay 9.0% - 9.5%

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Extreme heat and cold.

10.5. Incompatible materials

Reducing agents, wood, iron, and other heavy metals.



SDS Revision Date: 08/10/2023

10.6. Hazardous decomposition products

Oxygen which supports combustion.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Hydrogen Peroxide - (7722-84-1)	1,026.00, Rat - Category: 4	>2,000.00, Rabbit - Category: 5	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value		
0007722-84-1	Hydrogen Peroxide	OSHA	Regulated Carcinogen: No; Known: No; Suspected: No; Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;		
		NTP			
		IARC			
		ACGIH	1 A3		
Classification		Car	tegory	Hazard Description	
Acute toxicity (oral)				Not Applicable	
Acute toxicity (dermal)				Not Applicable	
Acute toxicity (inhalation)				Not Applicable	
Skin corrosion/irritation				Not Applicable	
Serious eye damage/irritation			1	Causes serious eye damage.	
Respiratory sensitization				Not Applicable	
Skin sensitization				Not Applicable	
Germ cell mutagenicity				Not Applicable	
Carcinogenicity				Not Applicable	
Reproductive toxicity				Not Applicable	
STOT-single exposure				Not Applicable	
STOT-repeated exposure				Not Applicable	
Aspiration hazard				Not Applicable	

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.



SDS Revision Date: 08/10/2023

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/L	mg/L	mg/L
Hydrogen Peroxide - (7722-84-1)	16.40, Pimephales promelas	2.40, Daphnia pulex	1.38, Skeletonema costatum

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state, and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN2984	UN2984	UN2984
14.2. UN proper shipping name	UN2984, Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary), 5.1, III	Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)	Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)
14.3. Transport hazard class(es)	DOT Hazard Class: 5.1 Sub Class: Not Applicable	IMDG: 5.1 Sub Class: Not Applicable	Air Class: 5.1 Sub Class: Not Applicable
14.4. Packing group	III	III	III



SDS Revision Date: 08/10/2023

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

EPCRA 302 Extremely Hazardous:

Hydrogen Peroxide

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

Revision Date 08/10/2023

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H271 May cause fire or explosion; strong oxidizer.

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.



SDS Revision Date: 08/10/2023

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Disclaimer: The contents of this SDS are believed to be correct but do not purport to be all-inclusive and should only be used as a guide. Hydrox Laboratories, Inc. disclaims any express or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental or consequential damages resulting from the reliance on the above information.

End of Document